

REPRINTS AND PREPRINTS AVAILABLE UPON REQUEST

Samuel N. Luoma
Water Resources Division, MS 465
345 Middlefield Road
Menlo Park, California 94025

PLEASE ORDER REPRINT BY NUMBER

1. Dynamics of biologically available mercury in a small estuary. S. N. Luoma. *Estuaries & Coastal Marine Science*, 5:643_652, 1977.
2. Physiological characteristics of mercury uptake by two estuarine species. S. N. Luoma. *Marine Biology*, 41:269_273, 1977.
3. The uptake and interorgan distribution of mercury in a carnivorous crab. S. N. Luoma. *Bull. Environmental Contamination and Toxicology*, 16(6):719_723, 1976.
4. Factors affecting the availability of sediment_bound cadmium to the estuarine deposit_feeding Clam, *Macoma balthica*. S. N. Luoma, E. A. Jenne, in *Radioecology & Energy Resources: Proc. of Fourth Nat. Symp. on Radioecology*, E. Cushing (ed) 283_291, 1976.
5. The availability of sediment_bound cobalt, silver, and zinc to a deposit_feeding clam. S. N. Luoma and E. A. Jenne. *Biological Implications of Metals in the Environment*. R. W. Wildung & H. Drucker (eds), 213_230, 1977.
6. Forms of trace elements in soils, sediments, and associated Waters: An overview of their determination and biological availability. Jenne, E. A. Luoma, S. N., in *Biological Implications of Metals in the Environment*. R. E. Wildung & H. Drucker (eds). 110_143, 1977.
7. Estimating Bioavailability of Sediment_bound Trace Metals with Chemical Extractants. S. N. Luoma and E. A. Jenne. *Trace Substances in Environmental Health*. D. D. Hemphill (ed.) 343_351, 1976.
8. Detection of trace contaminant effects in aquatic ecosystems. S. N. Luoma, *J. Fish. Res. Bd. Can.* 34:436_439, 1988.
9. Fluctuations of copper, zinc, and silver in tellenid clams as related to freshwater discharge--South San Francisco Bay. Luoma, S. N., and Cain, D. J. In *San Francisco Bay: The Urbanized Estuary*. T. J. Conomos (ed). 231_246, 1979.
10. Factors controlling availability of sediment_bound lead to the estuarine bivalve *Scorbicularia plana*. S. N. Luoma and G. W. Bryan. *J. Mar. Biol. Assoc., UK*, 58:793_802, 1978.

11. Trace Metal Bioavailability: Modeling Chemical and Biological Interactions of Sediment Bound Zinc. S. N. Luoma, G. W. Bryan. in *Chemical Modeling in Aqueous Systems. ACS Symposium Series 93.* E. A. Jenne (ed.) 577_609, 1979.
12. Statistical assessment of the form of trace metals in oxidized estuarine sediments employing chemical extractants. S. N. Luoma and G. W. Bryan. *Sci. of Total Environ.* 17:165_196, 1981.
15. Some Perspectives on Heavy Metal Concentrations in Shellfish and Sediment in San Francisco Bay, California. L. Bradford and S. N. Luoma, in *Contaminants and Sediments.* R. T. Baker (ed.) 2:501_532, 1980.
16. The effect of sample storage on the extraction of Cu, Zn, Fe, Mn and organic material from oxidized estuarine sediments. E. A. Thomson, S. N. Luoma, D. J. Cain, and C. E. Johansson. *Water, Air & Soil Poll.* 14:215_233, 1980.
17. A statistical study of environmental factors controlling concentrations of heavy metals in the burrowing bivalve *scorbicularia plana* and the polychaete *Neris diversicolor*. S. N. Luoma and G. W. Bryan. *Estuarine, Coastal and Shelf Sci.*, 15:95_108, 1982.
18. Variable tolerance to copper in two species from San Francisco Bay. S. N. Luoma, D. J. Cain, D. Ho and A. Hutchinson. *Mar. Environ. Res.* 10:209_222, 1983.
20. Scavenging of Heavy Metals from Particulates by Brown Seaweed. S. N. Luoma, G. W. Bryan and W. J. Langston. *Mar. Pollut. Bull.* 13:394_396, 1982.
21. Variations in correlation of body size with concentrations of Cu and Ag in the bivalve *Macoma balthica*. C. R. Strong, S. N. Luoma, *Can. J. Fish. Aquat. Sci.*, 38:1059_1064, 1981.
23. The Impact of Waste_water Discharge on Biological Communities in San Francisco Bay. S. N. Luoma and J. E. Cloern. In *San Francisco Bay: Use and Protection.* Kockleman, Levinton, Conomos (eds.) Pac. Div. AAAS, 137_160, 1982.
24. Requirements for modeling trace metal partitioning in oxidized estuarine sediments. S. N. Luoma, and J. A. Davis. *Marine Chemistry.* 12:159_181, 1983.
26. Bioavailability of trace metals to aquatic organisms__A Review. S. N. Luoma. *Sci. Total Environ.* 28:1_22, 1983.
27. Copper and silver accumulation in transplanted and resident clams (*Macoma balthica*) in South San Francisco Bay. D. J. Cain and S. N. Luoma. *Mar. Environ. Res.* 15:115_135, 1985.

28. Bioavailability of Sediment_Bound Metals, by S. N. Luoma in *The Role of Sediments in the Chemistry of Aquatic Systems*, U. S. Geological Survey Circular 969, p. 32_56, 1985.
29. The role of bacterial exopolymer and suspended bacteria in the nutrition of the deposit_feeding clam *Macoma balthica*. R. W. Harvey and S. N. Luoma. *J. Mar Res.* 42:957_968, 1984.
30. Comparison of sediments and organisms in identifying sources of biologically available trace metal contamination. E. A. Thomson, S. N. Luoma, C. E. Johansson and D. J. Cain. *Water Res.* 18:755_765, 1984.
31. Enrichment and association of lead and bacteria at particulate surfaces in a salt_marsh surface layer. R. W. Harvey, L. W. Lion, L. Y. Young, and J. O. Leckie. *J. Mar. Res.* 40:1201_1211, 1982.
32. Transport and distribution of bacteria and diatoms in the aqueous surface microlayer of a salt marsh. R. W. Harvey, L. W. Lion and L. Y. Young. *Estuarine Coastal and Shelf Sci.* 16:543_547, 1983.
33. Contaminants in the upper Mississippi River: Summary and Conclusions. S. N. Luoma. *Proc. 15th Annual Meeting of the Mississippi River Research Consortium*. J. G. Wiener, R. V. Anderson and D. R. McConville (eds.) 345_356, 1984.
35. Separation of solute and particulate vectors of heavy metal uptake in controlled suspension_feeding experiments with *Macoma balthica*. R. W. Harvey and S. N. Luoma. *Hydrobiologia*. 121:97_102, 1985.
36. Trace Metals in Suisun Bay, California: A Preliminary Report. S. N. Luoma, P. V. Cascos, and R. M. Dagovitz. *USGS Water Resources Investigations Report 84_4170*. 35 p., 1984.
37. Variability in the fractionation of Cu, Ag, and Zn among cytosolic proteins in the bivalve *Macoma balthica*. C. Johansson, D. J. Cain, and S. N. Luoma. *Mar. Ecology*. 28:87_97, 1986.
38. Temporal fluctuations in grain size, organic materials and iron concentrations in intertidal surface sediment of San Francisco Bay. E. A. Thomson_Becker and S. N. Luoma. *Hydrobiologia* 129:91_107, 1985.
39. Effect and adherent bacteria and bacterial extracellular polymers upon assimilation by *Macoma balthica* of Sediment_bound Cd, Zn and Ag. R. W. Harvey and S. N. Luoma. *Marine Ecology*. 22:281_289, 1985.
40. Affected Ecosystems. Book Review of Effects of the Pollutants at the Ecosystem Level. S. N. Luoma. *Bioscience* 35:657_658, 1985.
41. Effect of seasonally changing tissue weight on trace metal concentrations in the bivalve *Macoma balthica* in San Francisco Bay. D. J. Cain and S. N. Luoma. *Mar. Ecol. Prog. Series*. 28:209_217, 1986.

42. Biological Availability of Sediment_bound Trace Metals. S. N. Luoma. In *La Baie de Seine (Greco_Manche) IFREMER. Actes de Colloques* 4:347_362, 1985.
43. Temporal Fluctuations of Silver, Copper and Zinc in the Bivalve *Macoma balthica* at Five Stations in South San Francisco Bay. S. N. Luoma, D. J. Cain and C. Johansson. *Hydrobiologia* 129:109_120, 1985.
44. The modification of an estuary. F. H. Nichols, J. E. Cloern, S. N. Luoma, and D. H. Peterson. *Science* 231:567_573, 1986.
45. Cycling of lead into food webs in aquatic environments. S. N. Luoma. Report for the *Commission on Lead in the Environment*. Royal Society of Canada. 146_161, 1986.
46. A comparison of two methods for determining copper partitioning in oxidized sediments. S. N. Luoma. *Marine Chemistry* 20:45_59, 1986.
47. Book review of Ecotoxicology by L. Rasmussen (ed) 1984, 604 p., *Earth Science Reviews*, 24:142 (1987).
48. Temporally intensive study of trace metals in sediments and bivalves from a large river_estuarine system: Suisun Bay/Delta In San Francisco Bay. In: *Symposium on Fate and Effects of Toxic Chemicals in Large Rivers and Estuaries. Science of the Total Environment*. S. N. Luoma, R. Dagovitz and E. Axtmann. *Sci. Total Environ.* 97/98, 685_712 (1990).
49. Arsenic concentrations of selected benthic insects in Whitewood Creek and the Belle Fourche River, South Dakota. In: *US Geological Survey Toxic Substances Hydrology Program__Surface_Water Contamination: Proceedings of the Technical Meeting*, Denver, February 1987. D. J. Cain, S. V. Fend, and J. L. Carter Open File Report 87_764, p. 55_60, 1987.
50. Biological investigations__Surface water toxics program _ Whitewood Creek and the Belle Fourche and Cheyenne Rivers, South Dakota. In Goddard, K. E., ed., US Geological Survey Applied Research studies of the Cheyenne River System, South Dakota. US Geological Survey Open File report. J. S. Kuwabara, D. J. Cain, J. L. Carter, and S. V. Fend. US Geological Survey Open File Report 88-484, p. 148-158.
51. Can we determine the biological availability of sediment_bound trace elements? S. N. Luoma. *Hydrobiologia*, v. 176/177, p. 379_396: 1989.
52. Trace metal associations in the water column of south San Francisco Bay. J. S. Kuwabara, C.C.Y. Chang, J. E. Cloern, T. L. Fries, J. A. Davis, and S. N. Luoma. *Estuarine Coastal and Shelf Science*, v. 28, p. 307_325, 1989.
53. Selenium accumulation in benthic bivalves and fine sediments of San Francisco Bay, the Sacramento_San Joaquin Delta, and selected tributaries. C. Johns and S. N. Luoma. *Estuarine, Coastal, and Shelf Science*, 27:381_396, 1988.

- 53a. Accumulation of selenium in benthic bivalves and fine_grained sediments of San Francisco Bay, the Sacramento_San Joaquin Delta, and selected tributaries, 1984_86. C. Johns and S. N. Luoma. *US Geological Survey Open_File Report 87_562*. 29 p, 1987.
54. The Effect of differential growth on spatial comparisons of copper content of a bivalve indicator. D. J. Cain, J. K. Thompson and S. N. Luoma in *Heavy Metals in the Environment* (S. E. Lindberg and T. C. Hutchinson, eds.) CEP Consultants Ltd, 455_457, 1987.
55. Trace metal distributions in floodplain and fine bed sediments of the Clark Fork River, Montana. E. V. Axtmann and S. N. Luoma in *Heavy Metals in the Environment* (S. E. Lindberg and T. C. Hutchinson, Eds.) CEP Consultants Ltd., 494_496, 1987.
56. Distribution, variability and impacts of trace elements in San Francisco Bay. S. N. Luoma and D. J. H. Phillips. *Marine Pollution Bulletin* 19:413_425, 1988.
57. Research for San Francisco Bay. An editorial by S. N. Luoma. In *Bay Tidings. San Francisco Bay Conservation & Development Commission*, 1988.
58. Processes affecting metal concentrations in estuarine and coastal marine sediments. S. N. Luoma in *Heavy Metals in Marine Environment*, R. Furness and P. Rainbow, (eds). Ch. 4., CRC Press, Boca Ration, FL, 1990, p. 51_66.
59. Organic markers as source discriminants and sediment transport indicators in south San Francisco Bay, California. F. D. Hostettler, J. B. Rapp, K. A. Kvenvolden, and S. N. Luoma. *Geochimica et Cosmochimica Acta*, v. 53, p. 1563_1576, 1989.
60. Downstream effects of mine effluent in an intermountaine riparian system. Moore, J. N., Luoma, S. N., and Peters, D., *Can. J. Fish. Aquat. Sci.* 48:222-232, 1991.
61. Influence of seasonal growth, age and environmental exposure on Cu and Ag in a bivalve indicator, *Macoma balthica*, in San Francisco Bay. Cain, D. J., Luoma, S. N. *Marine Ecol. Prog. Ser.*, 60:45_55, 1990.
62. Arsenic in benthic bivalves of San Francisco Bay and the Sacramento/San Joaquin River Delta: Johns, C., and Luoma, S. N. *Science of the Total Environment*, 97/98: 673-684, 1990.
63. Hazardous wastes from large scale metal extraction: A case study. Moore, J. N., and Luoma, S. N. *Environ. Sci. Technol.*, 24:1279-1285, 1990.
- 63a Hazardous wastes from large_scale metal extraction: The Clark Fork Waste Complex, Montana. Moore, J. N., and Luoma, S. N., V. Watson, ed., *Proceedings of Clark Fork River Symposium*, 4/90, Univ. Montana, Missoula, p. 163-198, 1992.

64. Large_scale distribution of metal contamination in the fine_grained sediments of the Clark Fork River, Montana. Axtmann, E. V., and Luoma, S. N., *Applied Geochemistry*, 6:75-88, 1991.
65. Temporal and spatial variability of arsenic in benthic insects from Whitewood Creek, South Dakota. D. J. Cain, S. V. Fend, and J. L. Carter, in *U.S. Geological Survey Toxic Substances Hydrology Program_Proceedings of the Technical Meeting*, Phoenix, Arizona, September 26_30, 1988 (G. E. Mallard and S. E. Ragone Editors) US Geological Survey Water_Resources Investigations Report 88_4220, p. 257_268.
66. Fate of mine wastes in the Clark Fork River, Montana, USA. S. N. Luoma, E. V. Axtmann and D.J. Cain in *Metals and metalloids in the hydrosphere; impact through mining and industry, and prevention technology in tropical environments*. Asian Inst. of Technology, Bangkok, Thailand, 1989, p. 63_75.
68. Teaching Environmental Science. Book Review of Environmental Ecology: The Impacts of Pollution and Other Stresses on Ecosystem Structure and Function. S. N. Luoma. *Bioscience*, 40:612-613, 1990.
69. Biologically available metals in sediments. P. Campbell, A. Lewis, P. Chapman, A. Crowder, W. Fletcher, B. Imber, S. N. Luoma, P. Stokes & M. Winfrey. National Res. Council, Canada, 1988, 300 p. (Publication No. NRCC 27694, Crown Copyright Reserved, 1988. Available through prepaid order only from: Publications, NRCC/CNRC, Ottawa, Canada K1A OR6, Price: \$10.00).
70. Distribution of trace metals in fine_grained bed sediments and benthic insects in the Clark Fork River, Montana. E. V. Axtmann, D. J. Cain, and S. N. Luoma, (V. Watson, Ed.) 1990 *Clark Fork Symposium*, University of Montana, Missoula, 1-18, 1990.
71. Effects of trace metals on aquatic benthos. S. N. Luoma and J. L. Carter. In Newman, M. and McIntosh, A. (eds) *Metal Ecotoxicology: Concepts and Applications*. Lewis Publishers, p. 261-287, 1990.
72. Determination of selenium bioavailability to a benthic bivalve from particulate and solute pathways. S. N. Luoma, C. Johns, N. S. Fisher, N. A. Steinberg, R. S. Oremland, and J. Reinfelder, *Env. Sci. Technol.*, 26:485-491, 1992.
73. Book Review: Imperiled Planet: Restoring Our Endangered Ecosystems, S. N. Luoma, *Bioscience*, 41, 643, 1991.
74. Assessing adverse effects of contaminants on benthic species at the San Francisco Toxics Site. S. N. Luoma, J. Carter, C. Brown, in G. E. Mallard and D. A. Aronson, eds: *Toxic Substances Hydrology Prog.*, p. 667-672, 1991 (WRI 91-4034).

75. Time-courses in the retention of food material in the bivalves *Potamocorbula amurensis* and *Macoma balthica*: Significance to the absorption of carbon and chromium. A. W. Decho and S. N. Luoma *Marine Ecology Progress Series*, 78:303-314, 1991.
76. Trace metals in clams (*Macoma balthica*) and sediments at the Palo Alto mudflat in south San Francisco Bay: April, 1990 to April, 1991. *US Geological Survey Open File Report 91-460*, 47 p, 1991: OF92-456, 1992; OF93-500, 1993. (Updated Open-File Reports.)
- 76-98. Near field receiving water monitoring of trace metals in clams (*Macoma Balthica*) and sediments near the Palo Alto San Jose/Sunnyvale Water Quality Control Plants in South San Francisco Bay, California, 1977. Luoma, S.N., Wellise, C., Cain, D. J., Brown, C., Hornberger, M., and Bouse, R. USGS Open File Report 98-563. 88pp.
77. Appropriate uses of marine and estuarine sediment bioassays in *The Handbook of Ecotoxicology* (ed. P. Calow). S. N. Luoma and Kay T. Ho, v. 1, Chapter 11, 1993.
78. Studies using the clam *Macoma balthica* to identify bioavailable trace metals in San Francisco Bay. Daniel J. Cain: *in The Bioavailability of Toxic Contaminants in the San Francisco Bay-Delta*. (ed. A. J. Gunther) *Proceedings, Report. No. AHI-90/01*. San Francisco Bay-Delta Aquatic Habitat Institute. p. 55-69, 1990.
79. Aquatic insects as bioindicators of trace element contamination in cobble-bottom rivers and streams. D. J. Cain, S. N. Luoma, J. L. Carter, and S. V. Fend. *Can. J. Fish-Aquat. Sci.*, 49:2141-2154, 1992.
80. Evidence from Cd/Ca ratios in foraminifera for greater upwelling off California 4,000 years ago. A. van Geen, S. N. Luoma, C. C. Fuller, R. Anima, H. E. Clifton and S. Trumbore. *Nature*, 358:54-56, 1992.
81. Guidelines for studies of contaminants in biological tissues for the National Water-Quality Assessment Program. Crawford, J. K., and Luoma, S. N. National Water-Quality Assessment Program: US Geological Survey Open-File Report 92-494. 1992.
82. Prediction of Metal Toxicity in Nature from Bioassays: Limitations and Research Needs. S. N. Luoma, in *Metal Speciation and Bioavailability in Aquatic Systems*, A. Tessier and D. Turner (Eds), p. 609-646, John Wiley and Sons, Ltd., London, 1995.
83. Benthic insects as indicators of large-scale trace metal contamination in the Clark Fork River, Montana. Cain, D. J., and Luoma, S. N., in G. E. Mallard and D. A. Aronson, eds: U S Geological Survey Toxic Substances Hydrology Program--Proceedings of the technical meeting, Monterey, California, US Geological Survey Water Resources Investigations Report 91-4034 p. 525-529, 1991.

84. Trace metals (Cd, Cu, Ni, Zn) and nutrients in coastal waters adjacent to San Francisco Bay, California. van Geen, A., and Luoma, S. N., *Estuaries*, 16: 559-566, 1993.
85. Understanding the toxicity of contaminants in sediments: Beyond the bioassay-based paradigm. Luoma, S. N., and Carter, J. L., *Environmental Toxicology and Chemistry*, 12: 793-796, 1993.
86. Humic and fluvic acids: Sink or source in the availability of metals to the marine bivalves *Macoma balthica* and *potamocorbula amurensis*? Decho, A. W., and Luoma, S., *Marine Ecology Progress Series*, 108:133-145, 1994.
87. Challenges in detecting contaminant effects on an estuarine ecosystem affected by many different disturbances: San Francisco Bay, Luoma, S. N., and Nichols, F. H. Morganwalp, D.W., and Aronson, D. A., Eds. US Geological Survey Toxic Substances Hydrology Program--Proceedings of the Technical Meeting, Colorado Springs, CO., Sept. 20-24, 1993: US GS Water-Resources Investigations Report 94-4015, 1995.
88. Cadmium in the California current system: Tracer of past and present upwelling. van Geen, L., and Husby, D. M., *J. Geophy. Res.* 101:C2:3489-3507, 1996.
89. Flexible digestion strategies and trace metal assimilation in marine bivalves. Decho, A. W. and Luoma, S. N. *Limnology and Oceanography*. 41:568-572, 1989.
90. Effect of tributary inflows on the distribution of trace metals in fine-grained bed sediments and benthic insects of the Clark Fork River, Montana. Axtmann, E. V., Cain, D. J., and Luoma, S. N., *Env. Sci. Technol.* 3:750-758. 1997.
91. Book review, No Quick Fix, a review on "Restoring the Nation's Marine Environment", California Coast & Ocean, v. 10, 1994.
92. Guidelines for determination of water quality trends in the National Water-Quality Assessment Program: Luoma, S. N., Hsieh, P. A., Betancourt, Cayan, D., Hill, M.C., Robertson, D.M., Vecchia, A.V., Wagner, B.J and Helsel, D. R., US Geological Survey Open File Report 94-_____. 1994.
93. Use of the euryhaline bivalve *Potamocorbula amurensis* as a biosentinel species to assess trace metal contamination in San Francisco Bay. Brown, C. L., and Luoma, S. N., *Mar. Ecol. Prog. Ser.*, 124:129-142, 1995.
94. Fate, bioavailability and toxicity of silver in estuarine environments. Luoma, S. N., Ho, Y.B., and Bryan, G.W., *Mar Pollut. Bull.*, 31:44-54, 1995.
95. Energy-related selenium and vanadium contamination in San Francisco Bay, California--Effects on biological resources? *in:* Energy and the Environment--Application of Geosciences to Decision-Making. L.M.H. Carter, ed. Brown,

C. L., and Luoma, S. N. Tenth V. E. McKelvey Forum on Mineral and Energy Resources. U.S. Geological Survey Circular 1108. 1995.

96. Long-term investigations provide fundamental insight into natural and human-induced change in the San Francisco Bay (USA) estuary, Nichols., F. H., and Luoma, S. N. pp. 36-54. In: Keegan, Bf, Lambshead, Coull, B. C., and Nolan, C (editors). *Changes in Marine Benthos: the case for long term Studies*. European Commission EUR 16965, Ecosystems Research Report No 16, European Commission, Brussels 1997.
97. Water-Quality, bed-sediment, and biological data (October 1992 through September 1993) and statistical summaries of water-quality data (March 1985 through September 1993) for streams in the Upper Clark Fork Basin, Montana. Lambing, J. H., Hornberger, M.I., Axtmann, E. V., and Pope, D. A. US Geological Survey Open File Report 94-375, 104pp, 1994.
98. Assimilation of trace metals ingested by the mussel, *Mytilus edulis*: effects of algal food abundance. Wang, W-X, Fisher, N. S., and Luoma, S. N. *Mar. Ecol. Prog. Ser.*, 129:165-176, 1995.
99. San Francisco Bay Program: Lessons Learned for Managing Coastal Water Resources (1994) US Geological Survey Fact Sheet. J. Cloern, S. Luoma and F. Nichols.
100. Pathway models could aid management of contaminants. S. N. Luoma, Interagency Ecological Program for the Sacramento-San Joaquin Estuary Newsletter. Spring 1995. p. 6-8.
101. Influence of gut content in immature aquatic insects on assessments of environmental metal contamination. Cain, D. J., Luoma, S. N. and Axtmann, E. V. *Can. J. Fish Aquatic Science*, 52:2736-2746, 1995.
102. Uncertainties in assessing contaminant exposure from sediments: Bioavailability: In Sediment Risk Assessment. Luoma, S. N., and Fisher, N., in Ecological Risk Assessments of Contaminated Sediments, G. Biddinger and T. Dillon, Eds. Pelleston Workshop, Asilomar CA 1995.
103. Kinetic determinations of trace element bioaccumulation in the mussel, *mytilus edulis*. Wang, W-X, Fisher, N. S., and Luoma, S. N. *Marine Ecology Prog. Ser.*, 140:91-113, 1996.
104. The developing framework of marine ecotoxicology: Pollutants as a variable in marine ecosystems? S. N. Luoma. *J. Exptl. Mar. Biol. Ecol.*, 200: 29-55, 1996.
105. The relationships among three habitat scales and stream benthic invertebrate community structure. Carter, J. L., Fend, S. V., and Kennelly, S. S. *Freshwater Biol.* 35:109-124, 1996.

106. The relationship of habitat characteristics to the distribution of Chironomidae (Diptera) as measured by pupal exuviae collections in a large river system. Fend, S. V. And Carter. J., *Freshwater Ecol.* 10:343-359, 1995.
107. Effects of arctic temperatures on uptake and retention of the nuclear waste radionuclides ^{241}Am , ^{57}Co and ^{137}Cs by the bioindicator bivalve *Macoma balthica*. Hutchins, D. A., Stupakoff, I., Hook, S, Luoma, S. N., and Fisher, N. S. *Marine Environmental Research*, 45:17-29, 1998.
108. Assimilation efficiencies and turnover rates of trace elements in marine bivalves: a comparison of oysters, clams, and mussels. Reinfelder, J. R., Wang, W-X., Luoma, S. N., and Fisher, N. S. *Marine Biology* 129:443-452, 1997.
109. Spatial and temporal trends of trace metals in water, bed sediment, and biota of the Upper Clark Fork Basin, Montana: 1985-1995. Hornberger, M. I., Lambing. J. H. Luoma, S. N., and Axtmann, E. V. USGS Open File Report 97-699.
110. Surface-water-quality assessment of the Yakima River Basin in Washington: spatial and temporal sediment, and aquatic biota, 1987-91. Fuhrer, G. J., Cain, D. J., McKenzie, S. W., Rinella, J. F., Crawford, J. K., Skach, K. A., and Hornberger, M. I. National Water-Quality Assessment Program. *US Geological Survey Open-File Report 95-440*, 1996.
111. Water quality, bed-sediment, and biological data (October 1994 through September 1995) and statistical summaries of data for streams in the Upper Clark Fork Basin, Montana. Dodge, K. A., Hornberger, M. I., and Axtmann, V. USGS Open-File Report 96-432, 1996.
112. Metal uptake by phytoplankton during a bloom in south San Francisco Bay: Implications for metal cycling in estuaries. Luoma, S.N., van Geen, A., Lee, B-G., and Cloern, J.E., *Limnology & Oceanography*, 43:1007-1016, 1998.
113. A comparison of selenium and mercury concentrations in transplanted and resident bivalves from north San Francisco Bay. Luoma, S.N., and Linville, R. *Regional Monitoring Program for Trace Substances*, 1995 Annual Report. SFEI Publication, 160-170.
114. Modeling the bioaccumulation of trace metals in Marine herbivores. Fisher, N. S., Wang, W-X., and Luoma, S. N. *Rapp. Comm. Int. Mer. Medit.* 35:254-265.
115. Selenium trends in North San Francisco Bay. Luoma, S. N. and Linville, R. *Interagency Ecological Program for the Sacramento-San Joaquin Estuary Newsletter*. 10: 25-26. 1997.
116. Influence of microalgal biomass on absorption efficiency of Cd, Cr, and Zn by two bivalves from San Francisco Bay. Lee, B-G., and Luoma, S. *Limnology and Oceanography*. 43: 1455-1466. 1998.

117. Historical trends of trace metals in the sediments of San Francisco Bay, California. Hornberger, M. I., Luoma, S. N., van Geen, A., Fuller, C., and Anima, R. *Marine Chemistry* 64:39-55. 1999.
118. Chlorinated hydrocarbon pesticides and polychlorinated biphenyls in sediment cores from San Francisco Bay. Venkatesan, M. I., de Leon, R.P., van Geen, A., and Luoma, S. N. *Mar. Environ. Res.* 64:85-97. 1999.
119. The impact of human activities on sediments of San Francisco Bay: An overview. van Geen, A., and Luoma. *Mar. Environ. Res.* 64:1-6. 1999.
120. Sedimentary record of anthropogenic and biogenic polycyclic aromatic hydrocarbons in San Francisco Bay, California. Pereira, W. E., Hostettler, F. D., Luoma, S. N., van Geen, A., Fuller, C. C., and Anima, R. J.. *Mar. Chem.* 64:99-113. 1999.
121. A record of contaminant input to San Francisco Bay as traced by biomarker profiles in surface sediment and sediment cores. Hostettler, F. D., Pereira, W. E., Kvenvolden, K. A., van Geen, A., Luoma, S. N., Fuller, C. C., and Anima, R. J. *Mar. Chem.* 64:115-127. 1999.
122. Sediment chronology in San Francisco Bay, California, defined by ^{210}Pb , ^{234}Th , ^{137}Cs , and $^{239,240}\text{Pu}$. Fuller, CC., van Geen, A., Baskaran, M., and Anima, R. *Mar. Chem.* 64:7-27. 1999.
123. A record of estuarine water contamination from the Cd content of foraminifera in San Francisco Bay, California. van Geen, A., and Luoma, S. N. *Mar. Chem.* 64:57-69. 1999.
124. Constraints on the sedimentation history of San Francisco Bay from ^{14}C and ^{10}Be . van Geen, A., Valette-Silver, N. J., Luoma, S. N., Fuller, C. C., Baskaran, M., Tera, F., and Klein, J. *Mar. Chem.* 64:29-38. 1999.
125. Stable lead isotopic analyses of histroic and contemporary lead contamination of San Francisco Bay estuary. Ritson, P.I., Bouse, R. M.. Flegal, A. R. , and Luoma, S. N., *Mar. Chem.*, 64:71-83. 1999.
126. Metal exposures to native populations of the Caddisfly *Hydropsyche* (Tricoptera: Hydropsychidae) determined from cytosolic and whole body metal concentrations. Cain, D. J., and Luoma, S. N. *Hydrobiologia*, 386:103-117, 1999.
127. Trace element trophic transfer in aquatic organisms: a critique of the kinetic model approach. Reinfelder, J. R., Fisher, N. S., Luoma, S. N., Nichols, J. W., and Wang, W.-X. *Sci. of the Total Environ.* 219:117-135. 1998.
128. Not available for distribution.
129. Uptake and loss kinetics of Cd, Cr and Zn in the bivalves *Potamocorbula amurensis* and *Macoma balthica*: Effects of size and salinity. Lee, B-G,

Wallace, W. G., and Luoma, S. N. *Marine Ecology Progress Series*, 175:177-189, 1998.

130. Metal trends and effects in *Potamocorbula amurensis* in North San Francisco Bay. Brown, C. L., and Luoma, S. N. Interagency Ecological Program Newsletter, 11:33-35, 1998.
131. Enzymatic and histopathologic biomarkers as indicators of contaminant exposure and effect in Asian Clam (*Potamocorbula amurensis*) Teh, S. J., Clark, S.L., Brown, C. L., Luoma, S. N., and Hinton, D. E. In: Bivalve Biomarkers Workshop, Ringwood, et al. Eds., v 4:6, 497-509, 1999.
132. Bioaccumulation of metals by the bivalve *Macoma balthica* at a site in South San Francisco Bay between 1977 and 1997: Long-term trends and associated biological effects with changing pollutant loadings. Hornberger, M. Luoma, S., Cain, D., Parchaso, F., Brown, C., Bouse, R., Wellise, C. Thompson, J. USGS Open File report 99-55. 42pp.
- 132a. Linkage of bioaccumulation and biological effects to changes in pollutant loads in South San Francisco Bay. Hornberger, M. I., Luoma, S.N., Cain, D.J., Parchaso, F., Brown, C.L., Bouse, R.M., Wellise, C. and Thompson, J.K., *Environ. Sci. Technol.* 34, 2401-2409, 2000.
133. Bivalve Biomarker Workshop: overview and discussion group summaries:overview and discussion group summaries. Ringwood, A. H., Jameedi, M. J. Lee, R. F., Brouwer, M., Peters, E. C., Scott, G. I., Luoma, S. N., and DiGiulio, R. T. In: Bivalve Biomarker Workshop. Ringwood, et al (eds). 4:6, 391-399, 1999.
134. Metal exposure to a benthic macroinvertebrate, *Hydropsyche californica*, related to mine drainage in the Sacramento River. Cain, D. J., Carter, J. L., Fend, S. V., Luoma, S.N., Alpers, C.N., and Taylor, H. E. *Can. J. Fish. Aquat. Sci.* 57:1-11. 2000.
135. Mining impacts on Fish in the Clark Fork River, Montana: A field ecotoxicology case study. Luoma, S. N., Moore, J. N., Farag, A.M., Hillman, T. W., Cain, D., Hornberger, M., Axtmann, E. Chapter in "Fish Toxicology", D. Hinton, and R. D. DiGuilio, eds. (In review).
136. Emerging Contaminant Issues from an Ecological Perspective. Luoma, S. In: Morganwalp, D. W. and H. T. Buxton (eds) USGS Toxic substances Hydrology Program-Proceedings. V. 2. Contamination of Hydrologic Systems. WRI 99-4018B, p. 3-6.
137. Influence of dietary uptake and reactive sulfides on metal bioavailability from sediments. Lee, B.-G., Griscom, S. B., Lee, J-S., Choi, H. J., Koh, C-H., Luoma, S. N., and Fisher, N. S. *Science*. v. 14, 287:282-284. 2000.
138. Influence of acid volatile sulfides and metal concentrations on metal partitioning in contaminated sediments. Lee, J-S., Lee, B-G., Luoma, S. N., Choi, H-J., Koh, C-H., and Brown, C. L. *Environ. Sci. Technol.* 34, 4511-4516.

139. Influence of acid volatile sulfide on the metal concentrations on metal bioavailability to marine invertebrates in contaminated sediments. Lee, B-G., Lee, J-S., Luoma, S. N., Choi, H-J., Koh, C-H. *Environ. Sci. Technol.* 34, 4517-4523.
140. Geochemical influence on assimilation of sediment-bound metals in clams and mussels. Griscom, S. B., Fisher, N.S., and Luoma, S. N. *Environ. Sci. & Technol.* 34(1):91-99, 2000.
141. Water quality, bed-sediment, and biological data (October 1997 through September 1998) and statistical summaries of data for streams in the Upper Clark Fork Basin, Montana. Dodge, K. A., Hornberger, M. I., and Bouse, R. M. *USGS Open-File Report 99-251*, 1999.
142. A Basis for Projecting Effects of Selenium at Upper and Lower Limits of Projected Discharges into San Francisco Bay: Effects of A San Luis Drain. Luoma, S. N., and Presser, T., AGU Monograph, In Prep., NOT FOR DISTRIBUTION.
143. You are what you eat: Incorporating dietary metals uptake into environmental quality guidelines for aquatic ecosystems. Schlekat, C. E., and Luoma, S. N. *SETAC Globe.*, 1(2): 38-39, 2000.
144. Selenium in the invasive bivalve *Potamocorbula amurensis* in the San Francisco Bay-Delta: Spatial distribution, temporal variability and comparisons to other species. Linville, R., Luoma, S. N., Cutter, L., and Cutter, G. A. *Aquatic Toxicology* (In review).
145. Role of Environmental Variability in Evaluating Stressor Effects (Chapter 3). Luoma, S.N., Clements, W, DeWitt, T., Gerritsen, J., Jepson, P., Hatch, A., Reynoldson, T., and Thom, R. IN BOOK: Ecological Complexity: New Directions for Assessing Stress. (In press).
146. Separating stressor influences from environmental variability: the Challenges (Chapter 4). Luoma, S.N., Clements, W, DeWitt, T., Gerritsen, J., Jepson, P., Hatch, A., Reynoldson, T., and Thom, R. IN BOOK: Ecological Complexity: New Directions for Assessing Stress. (In press).
147. Consequences of Environmental variability (Chapter 5. Stressor interactions in Ecological Systems). Clements. W., Luoma, S. N., Gerritsen, J., Hatch, A., Jepson, P., Reynoldson, T., and Thom, R. IN BOOK: Ecological Complexity: New Directions for Assessing Stress. (In press).
148. Influence of reactive sulfide (AVS) and supplementary food on Ag, Cd and Zn bioaccumulation in the marine polychaete, *Neanthes arenaceodentata*. Lee, J.-S., Lee, B.-G., Yoo, H., Koh, C.-H., and Luoma, S. N. Submitted to MEPS.
149. Metal exposure to a benthic invertebrate, *Hydropsyche californica*, in the Sacramento River downstream of Keswick Reservoir, California. Cain, D. J.,

Carter, J. L., Fend, S. V., Luoma, S. N., Alpers, C. N., and Taylor, H.E. US Geological Survey Open File Report 98-654. 1998.

150. Methods of analysis by the US Geological Survey National Water Quality Laboratory—Processing, Taxonomy, and quality control of benthic Macroinvertebrate samples. Moulton, S. R. II, Carter, J. L., Grotheer, S. A., Cuffney, T. F., and Short, T. M. US Geological Survey Open File Report 00-212. 2000.
151. Bioavailability of particle-associated Se to the bivalve *Portamocorbulamurensis*. Schlekat, C. E., Dowdle, P. R., Lee, B-G, Luoma, S. N., and Oremland, R. S. *Environ. Sci. Technol.* 34, 4504-4510, 2000.
152. Assimilation of selenium from phytoplankton by three benthic invertebrates: Effect of phytoplankton species. Schlekat, C. E., Lee, B-G., and Luoma, S. N. Submitted to Marine Ecology Progress Series.
153. Water-Quality, Bed-sediment and biological Data (October 1998 through September 1999) and Statistical Summaries of Data for Streams in the Upper Clark Fork Basin, Montana. Dodge, K. A., Hornberger, M. I., and David, C. P. Open-File Report 00-370. 2000.
154. Geographic Signatures of North American West Coast Estuaries. Emmett, R., Thom, R., Morgan, C., Coping, A., Llanso, R, Newton, Hornberger, M., Levings, C., Fishman, P., *Estuaries*, 23, 765-792, 2000.